



CONTENTS

Sidelite Frame, Double Rabbet




SINGLE OPENING, 3 HINGES

PAGE 1-5




SINGLE OPENING, 4 HINGES

PAGE 6-10




PAIRED OPENING, 3 HINGES

PAGE 11-15




PAIRED OPENING, 4 HINGES

PAGE 16-20



DOUBLE EGRESS, 3 HINGES

PAGE 21-25



DOUBLE EGRESS, 4 HINGES

PAGE 26-30

[illegible]

KD Complete

GAUGE:

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:

OTHER BS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

INSTRUCTIONS:



www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :	
-------------	--

JOB NAME :

F3SSRW

PAGE

OF

[illegible]

	FACE WELD
	CONT WELD

KD DW

GAUGE: _____

OPENING WIDTH

TO TOP OF HINGE

The diagram shows a vertical channel. On the left side, there are three rectangular blocks of different heights, representing a rough or stepped boundary. In the center of the channel, there is a gate mechanism consisting of a horizontal line with a vertical arrow pointing downwards from its center, and a circular symbol with a horizontal line through its center. To the right of the gate, there is a single rectangular block. On the far right, there is a vertical rectangular boundary. The channel is bounded by two vertical lines, one on the left and one on the right.

The diagram shows a Z-profile with the following labels and dimensions:

- Throat Size**: Indicated by a vertical double-headed arrow on the left side of the profile.
- Studs**: Indicated by a horizontal double-headed arrow at the bottom of the profile.
- Flange Location**: Indicated by a vertical double-headed arrow on the right side of the profile.
- STUD SIZE:**: A label at the bottom right with a blank line for input.

STUD SIZE: _____

ANCHOR TYPE:

☐

INSTRUCTIONS:



www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

JOB NAME :

F3SDRW

PAGE

OF

[illegible]

KD DW

The diagram shows a vertical channel. On the left side, there are three rectangular blocks representing a wall or structure. In the center of the channel, there is a gate labeled 'G' with a horizontal line passing through it. Above the gate, there is a vertical arrow pointing upwards. Below the gate, there is a vertical arrow pointing downwards. On the right side of the channel, there is a single rectangular block representing a wall or structure.

[illegible]

ANCHOR TYPE: _____

☐

INSTRUCTIONS:



OF

[illegible]

	FACE WELD
	CONT WELD

KD DW

GAUGE: _____

OPENING WIDTH

The diagram shows a Z-profile with the following dimensions labeled:

- Throat Size:** Indicated by a vertical double-headed arrow on the left side of the profile's throat.
- Stud Size:** Indicated by a horizontal double-headed arrow at the bottom of the profile.
- Hinge Location:** Indicated by a vertical double-headed arrow on the right side of the profile.

STUD SIZE: _____

ANCHOR TYPE:

☐

INSTRUCTIONS:



www.DCIHollowMetal.com

COMPANY NAME :

PO NUMBER :

JOB NAME :

F3SDRW

PAGE

OF

[illegible]

	FACE WELD
	CONT WELD

KD Complete
KD DW

GAUGE: _____





Diagram of a Z-profile with dimensions and labels:

- Throat Size**: Indicated by a vertical double-headed arrow on the left side of the profile.
- Ridge Location**: Indicated by a vertical double-headed arrow on the right side of the profile.
- STUD SIZE**: Indicated by a horizontal double-headed arrow at the bottom of the profile.

Throat Size

STAND. BS : 11/32:
OTHER BS:

SILENCERS:

STAND. BS : 11/32:
OTHER BS:

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
PHONE: (909) 770-5700
FAX: (909) 770-5722
www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F3SDRW

JOB NAME :

PAGE

OF

[illegible]

KD Complete

GAUGE: _____

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE:



7980 REDWOOD AVE, FONTANA, CA 92336
PHONE: (909) 770-5700
FAX: (909) 770-5722
www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F4SSRW

JOB NAME :

PAGE

OF

[illegible]

OF

[illegible]

KD Complete

GAUGE: _____

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE:



www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F4SSRW

JOB NAME :

PAGE

OF

[illegible]

KD Complete

GAUGE:

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE:



www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

JOB NAME :

OF

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

INSTRUCTIONS:

[illegible]

CONT WELD

9

KD Complete

GAUGE:

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE:

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336

PHONE: (909) 770-5700

FAX: (909) 770-5722

www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM

F4SSRW

JOB NAME :

PAGE

OF

[illegible]

CONT WELD

7

GAUGE: _____

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336

PHONE: (909) 770-5700

FAX: (909) 770-5722

www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :	
-------------	--

DCI FORM
F6PSRW

JOB NAME :

PAGE

OF

[illegible]

KD DW

The diagram shows a Z-profile with the following labels and dimensions:

- Throat Size**: Indicated by a vertical double-headed arrow on the left side of the profile.
- Hinge Location**: Indicated by a vertical double-headed arrow on the right side of the profile.
- STUD SIZE**: Indicated by a horizontal double-headed arrow at the bottom of the profile.


ANCHOR TYPE: _____

INSTRUCTIONS:



[illegible]

KD DW



The diagram illustrates a door frame with various dimensions and hinge locations. On the left, the 'Throat Size' is indicated by two vertical arrows. On the right, the 'Hinge Location' is indicated by two vertical arrows. At the bottom, the 'STUD SIZE' is indicated by a horizontal arrow. The diagram shows a door frame with a central opening and a smaller opening on the right side. The dimensions are labeled as follows:

- Throat Size: Indicated by two vertical arrows on the left side of the frame.
- Hinge Location: Indicated by two vertical arrows on the right side of the frame.
- STUD SIZE: Indicated by a horizontal arrow at the bottom of the frame.

STUD SIZE: _____

☐

INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336
PHONE: (909) 770-5700
FAX: (909) 770-5722
www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F6PSRW

JOB NAME :

PAGE


OF

[illegible]

KD Complete
KD DW

GAUGE: _____

OPENING WIDTH



The diagram illustrates a door frame with a central door opening. The frame is composed of a top rail, a bottom rail, and two side stiles. The door is shown in the open position, revealing the internal hinge mechanism. Key dimensions and components are labeled:

- Hinge Location:** Indicated by arrows pointing to the top and bottom of the door frame where the hinges are mounted.
- Throat Size:** Indicated by arrows pointing to the width of the door opening.
- STUD SIZE:** Indicated by arrows pointing to the width of the side stiles.

Throat Size

SILENCERS:

STAND. BS : 11/32:
OTHER BS:

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
PHONE: (909) 770-5700
FAX: (909) 770-5722
www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F6PSRW

JOB NAME :

PAGE


OF

[illegible]

KD Complete
KD DW

GAUGE: _____

OPENING WIDTH



The diagram illustrates a door frame with a central door opening. The frame is composed of a top rail, a bottom rail, and two side stiles. The door is shown in the open position, hinged to the right stile. Key dimensions and locations are labeled:

- Hinge Location:** Indicated by vertical arrows on the right stile, showing the positions of the hinges.
- Throat Size:** Indicated by horizontal arrows on the left stile, showing the width of the door opening.
- STUD SIZE:** Indicated by horizontal arrows at the bottom, showing the width of the bottom rail.

Throat Size

SILENCERS:

☐

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
PHONE: (909) 770-5700
FAX: (909) 770-5722
www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F6PSRW

JOB NAME :

PAGE

OF

[illegible]

Material

GAUGE: _____

OPENING WIDTH

TO TOP OF HINGE

Hinge Locations

Throat Size

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:

OTHER BS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

INSTRUCTIONS:



www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
F8PSRW


JOB NAME :

PAGE

OF

[illegible]

KD DW



The diagram shows a Z-profile with the following labels and dimensions:

- Throat Size**: Indicated by a vertical dimension line on the left side of the profile.
- Hinge Location**: Indicated by a vertical dimension line on the right side of the profile.
- STUD SIZE:**: Indicated by a horizontal dimension line at the bottom of the profile.

STUD SIZE: _____

ANCHOR TYPE: _____


INSTRUCTIONS:



OF

[illegible]

KD DW



The diagram shows a Z-profile with the following labels and dimensions:

- Throat Size**: Indicated by a vertical double-headed arrow on the left side of the profile.
- Hinge Location**: Indicated by a vertical double-headed arrow on the right side of the profile.
- STUD SIZE:**: Indicated by a horizontal double-headed arrow at the bottom of the profile.

STUD SIZE: _____

ANCHOR TYPE: _____


INSTRUCTIONS:



OF

[illegible]

KD DW



STUD SIZE: _____

ANCHOR TYPE: _____

INSTRUCTIONS:



OF

[illegible]

KD DW

OPENING WIDTH

Throat Size

Hinge Location

STUD SIZE: _____

Throat Size

STUD SIZE: _____

ANCHOR TYPE: _____

INSTRUCTIONS:



DCI FORM
F8PDRW

JOB NAME :

PAGE

OF


3-Sided Frame w/Sidelite

☐ FACE WELD ☐ KD Complete
☐ CONT WELD


MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

Material



GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

HINGE:	STAND. BS : 11/32: OTHER BS:	SILENCERS: ☐
STRIKE:	STAND. BS : 11/32: OTHER BS:	

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
 PHONE: (909) 770-5700
 FAX: (909) 770-5722
 www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
 F6DEW

JOB NAME :

PAGE

OF


3-Sided Frame w/Sidelite

☐ FACE WELD ☐ KD Complete
☐ CONT WELD


MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

Material



GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

HINGE:	STAND. BS : 11/32: OTHER BS:	SILENCERS: ☐
STRIKE:	STAND. BS : 11/32: OTHER BS:	

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
 PHONE: (909) 770-5700
 FAX: (909) 770-5722
 www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
 F6DEW

JOB NAME :

PAGE

OF


3-Sided Frame w/Sidelite

☐ FACE WELD ☐ KD Complete
☐ CONT WELD


MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

Material



GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

HINGE:	STAND. BS : 11/32: OTHER BS:	SILENCERS: ☐
STRIKE:	STAND. BS : 11/32: OTHER BS:	

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
 PHONE: (909) 770-5700
 FAX: (909) 770-5722
 www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
 F6DEW

JOB NAME :

PAGE

OF


3-Sided Frame w/Sidelite

☐ FACE WELD ☐ KD Complete
☐ CONT WELD


MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

Material



GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:



INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
 PHONE: (909) 770-5700
 FAX: (909) 770-5722
 www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
 F6DEW

JOB NAME :

PAGE

OF


3-Sided Frame w/Sidelite

☐ FACE WELD ☐ KD Complete
☐ CONT WELD


MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

Material



GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:



INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
 PHONE: (909) 770-5700
 FAX: (909) 770-5722
 www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM
 F6DEW

JOB NAME :

PAGE

OF

3-Sided Frame w/Sidelite

MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		




☐ FACE WELD ☐ KD Complete
☐ CONT WELD

Material

GAUGE: _____


← → ← → ← → ← →
 OPENING WIDTH

TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:
 OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:
 OTHER BS:



INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336
 PHONE: (909) 770-5700
 FAX: (909) 770-5722
 www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM

JOB NAME :

F8DEW

PAGE

OF

3-Sided Frame w/Sidelite

MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

☐
☐


FACE WELD
CONT WELD

☐




KD Complete

Material

GAUGE: _____




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

HINGE:

STAND. BS : 11/32:
OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:
OTHER BS:

☐

INSTRUCTIONS:

STUD SIZE: _____

ANCHOR TYPE: _____



7980 REDWOOD AVE, FONTANA, CA 92336
PHONE: (909) 770-5700
FAX: (909) 770-5722
www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM

JOB NAME :

F8DEW

PAGE

OF

3-Sided Frame w/Sidelite

MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

☐
☐

FACE WELD


CONT WELD

☐


KD Complete

Material




GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

☐

INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336

PHONE: (909) 770-5700

FAX: (909) 770-5722

www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM

JOB NAME :

F8DEW

PAGE

OF

3-Sided Frame w/Sidelite

MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		




☐ FACE WELD ☐ KD Complete
☐ CONT WELD

Material

GAUGE: _____


→ ← → ← → ←
 OPENING WIDTH

TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:



INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336

PHONE: (909) 770-5700

FAX: (909) 770-5722

www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM

JOB NAME :

F8DEW

PAGE

OF

3-Sided Frame w/Sidelite

MARK NUMBER	SWING	DIMENSIONS		CLOSER	LABEL MINUTES
		WIDTH (IN)	HEIGHT (IN)		

☐
☐

FACE WELD


CONT WELD

☐


KD Complete

Material




GAUGE: _____



OPENING WIDTH




TO TOP OF HINGE



HEAD

Hinge Locations



JAMBS

STUD SIZE: _____

ANCHOR TYPE: _____

HINGE:

STAND. BS : 11/32:

OTHER BS:

SILENCERS:

STRIKE:

STAND. BS : 11/32:

OTHER BS:

☐

INSTRUCTIONS:



7980 REDWOOD AVE, FONTANA, CA 92336

PHONE: (909) 770-5700

FAX: (909) 770-5722

www.DCIHollowMetal.com

SALES ORDER AND FIELD MEASUREMENT

COMPANY NAME :

PO NUMBER :

DCI FORM

JOB NAME :

F8DEW

PAGE

OF